Compared   Note   Not	
The first translation of the set likewing the working the working the set likewing the working the set likewing the working the set likewing t	
Problem   Prob	414*
The part of the second of the	
The last best scanning best bild sole   The limit	
The provide search provide and the provide and the provide search provide and the provide an	1 :
Compared to the angle of the property of the property of the angle of the property of the pr	
Less near scanning near ning style and contents of the conte	
thankels and filters 3 to the sole and third to the sole and the sole	1 <sup>f</sup> · ·
Description of the process of the	
Part	
photods 1	12 15 • 4.
100 detector or photody   same diamnel   same   minute   same   same   minute   same   sam	
The state of the s	
topper or lower hear) limit and ministrates are introduced same channel same open to lower hear) limit to the same open to lower hear) limit and change of switch in off, hear shame; the same open to lower hear) limit to the same open to lower hear) limit to the same open to lower hear) limit to the same open to lower hear) to lower hear) limit to the same open to lower hear) to lower	
The Content of photodisk same channel same property of the pro	
apper or lower nearl limit and change through the switch of off, near diamed the person of the switch of the same saturation or the switch of the same saturation of the switch of the switch of the same saturation of the switch of the switch of the same saturation that the switch of	
Type detector or photodSe same saturation or TATALY CALLS or a provincial same saturation or TATALY CALLS OF A SAME SATURATION OF THE SAME SATURATION CALLS OF A SAME SATURATION CALLS	
sque detect de phitode same saturation UNIAT; combined for verloaisse and detect de phitode UNIAT; combined for changes of DEBWENT signal of changes of DEBWENT signal of the photode same saturation UNIAT; 2003/2004 or verloaise and feto de depretorise de DEBWENT signal of the photode of the photode unit of the photode unit of the photode unit of the photode of the	. • 1 • • •
<pre></pre>	1 * 1 * 1 * 1 * 2
gjanal – and flati <del>ngs).</del> Pografija og skapanister er bland og stærting – 1914.	1 - 1 - 1 - 1
TO THE REPORT OF THE PROPERTY	. + .4: +
production of the photograph of the article transfer of the TVEATY of the Article transfer of the TVEATY of the Article transfer of the TVEATY	. + . 4:

-	9.5	detector or photodad near4 saturation or overloadad and detector or photodad or channel near1 switchall or changes! or		
-	11	saturation or overload@? and detector or photod@d or channel near, switch@d or change@l or signal and fluoresc@b and	moral dange;	ing a substitution
-	, r,	minisaspe questir or photodor heard saturation or overliadob. and determine or photodoc or channels nearl switch32 in change\$1;	TOPAT; US-FORUB; DERWENT	2003   1 15 17:54
-	19	- Garanter or or the todor theath (saturation)	USPAT; US-PGPUB; DEPWENT	2003 .2713 13:54
-	200		USFAT; US-FSFUB; DERWENT	2013/02/13/14:1 <sup>7</sup>
-	174	detertor or photod&& near4 saturation or overload\$&: and Supper or lower near limit or threshold and detector or photod&& or channels near1 switch&2 or	USPAT; USPEGATH; DEPWENT	g (847) 18 14: T
-	23	changes! or signal:  ((()detector or photods6: hear4 .saturation or overloads3: and supper or lower) hear (limit or threshold and .detector or photods6 or channel: hear4 (switchs2 or changes1 or signal); and	USPAT; US-PGFUB; DERWENT	2003/00/15 04:58
-	<u>.</u>	microscope or fluorescop detector or photod36 hear4 saturation or overload33 - and upper or lower) hear (limit or threshold, and (detector or photod36 or channel) hear2 (switch\$2 or change\$1 or signal)) and (microscope or fluoresc\$6)	USPAT; US-PGPUB; DEPWENT	2003/02/19 24:00
-	5 19	5880954.URPN. ;"3987283" ; "4075961"	USPAT USPAT	2003/02/13 14:28 2003/02/13 14:29
-	206862	"5492022" "5515266" " "5559664").PN. 1 35678   or (25078)   or (7378), 0008.	USPAT; US-EGPUB; DERWENT	2018/02/13 14:5
-		((356/\$) or (250/\$) or (73/\$)).CCLS.) and (detector or photod\$6) near2 (saturation or overload or threshold)	USPAT; US-PGPUB; DERWENT	2003/02/13 15:23
-	327	<pre>((((356/\$) or (250/\$) or (73/\$)).CCLS.) and (detector or photod\$6) near2 (saturation or overload or threshold) and (upper or lower) near2 threshold or limit)</pre>	USPAT; US-PGPUB; DERWENT	2003/02/13 15:03
-	e\$.	<pre>1(336/\$ or .Rif/\$) or .Ti/\$, .DCLS. and .detector or photod\$6 near2     saturation or overload or threshold; and     upper or lower near2 .threshold or     limit and .detector or photod\$6 hear2</pre>	USPAT; US-PGPUB; DERWENT	2013/04/13 14:04
_	714 e	airay (detector or photodSky nearly saturation	EFO; JFO	
ate		or overload or threshold' addetector or photodåd nearl saturation or overload or threshold and upper or lower nearl threshold or limit	EPO; JEO	
-	; 7	pyyntia nearl founi gyyhtia nearl founi	EFO; JFO USIAT; US-POPUB; JEPWENT	2003-02718 (F:4) 18-3712-14 (F:38

Search History (2014) is 1:18:28 EM (1ade 2 C:MAPPSNEAST-Workspaces-19895518 Method for detection of an illuminated specimen using a position of

			magan;	14 44
-	1	- 0.0 10 10 10 10 10 10 10 10 10 10 10 10 10	nd-Edille;	
			TERMENT	
			TAPAT;	4
-	• •	est jurgat, lang værer hæar stænning	ns-Eurob;	
		nogo microsogo ami organg organism or	S ELEMENT	
		miles and mile titles and parallel of		
		g intwise hear! illumination of		
		derection of the same of the second of the s	TOTAL:	
-		near microscope and survive a prism to	· · ː ːː · · ;	
		mist make the first and the first section of		
		p linwise nearly detection in		
		Roomination, and miss tites		
_		- www.go.commo. and laser near realming	COPAT;	일 : 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		near miscospope and stating of friem it	TE-F-41 Th;	
		griem or dispers\$4 and parallel or	12577777	
		pomise	"SPAT;	1 - 1 - 14 - 14 - 14 - 14 - 14 - 14 - 1
_	- ;-	There is a month, and there means a canning to	13=E H 11E;	
		near midans of e	I ERWENT	
		Fig. (5) . Till, and layer near stanning	131 AT;	ng na galawa sa katala
_	•	near of the set per	112-1 41167	
			1 ERWENT	
_		ee, go, thich ami laser near scanning -	TSFAT;	14 - 414
		hearn migroscope and pointwice or	73-1411 TH;	
		parallel hear dillomination or detection.	LEPWENT	
=	r'	The graduate and laser near, scanning	USFAT; USFECTUR;	And the second second
		nestA microscope and printwise of	LERWANI	
		parallel parallel and laser needs scanning	TSIAT;	14 1 4 4
_	,	near ministra pe ani printwise i scalla	mg-Ersime;	
		The state of the s	DERWENT	
_	*	स्तर्द्व , n Mar.   an : laser nearly scanning	TREAT;	21 20 2/14 1 1 1 2
		nearl mioriscipe and pointwise or scanda	US-PGHUB;	
		and parallel, and missoriter	JERWENT	2009/02/14 10:14
_	4 ~	((((356/SCCLS.) and laser near2 scanning	USPAT; US=PGPUB;	2002/04/24 204
		near2 microscope) and (pointwise or scan\$4 and parallel ) and (dispers\$4 ir grating	DERWENT	
		and paragree : and dispenses or graden) .cr prism or drism:	2-2-1597 k 1 4 7 k	
			TSTAT;	
_		scanning nears micr scape and printwise	T z = F = H = H = H; ;	
		or span\$4 and parallel, and dispers\$4 11	LERWEIT	
		orating or prism or drism - and DOI		
_	**	ol akaksologin. Sand laser neard scanning	USFAT;	1 - 3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
		near mirrosope and printwise or scan34	TS-PRIME; DERWELLT	
		and parallel near? illumination	uspat;	2003-0224-0344
_	3	316/8 .CCLS.: and laser nearl standing nearly microscope, and pointwise or scan94	US-POINB;	
		end parallel near fillumination and	I EFMENT	
		dispersager gratical prism or grism		
_	3	358/S . MOLS. and laser trail	TSTAT;	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
		syamming nearly microsorpe and pointwise	US-IGHTH;	
		ne scan\$4 and parallel near3	DERWENT	
		- illumination   and dispers\$4 (r grating -		
		n prism or grism (and CVI)	USEAT;	2 14 1 :10
_	5	gravo in ms. ani laser nyan scanning	TS=PHEME;	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
		hearn microscope, and pointwise or scattle and rapalled near? it mination and the	DEFWENT	
		And palacing brail to and printwise or stanka	TZIAT;	
-		and parallel means illustrate to	77.7-1 11 711:1	
			TERMENT	
_		ene golombo. Gama oparalles bear?	TSEAT;	14 24 15
		iminatium	TGHENETT	
			TSPAT;	
-	4	ere go. till. and parallel hears Hillmination candenly tilter	10-1 H 11:	
		and the second s	LEPVEN	
_		y and a children and open according to	11.11 AT ;	and the second second
	•	Fill mination — and mid fitter — and fit	[],'=}	
			DEFWENT	

Ceardh History - 1, 14 - 111-12-18 - 144 b TrAFFSCEATOWY Repaires (PRESSIR Method to detection of an illuminated specifich deind a postaroly)

<b>-</b> 4	356 S. Dotto. and parallel hearb columnation and migrotites and ord and dispers04 or grating reprism re- crism	VSEAT; VS-FARVE; DERWENT	2018 - 14 00:19
-	eren som en	TOFF STEEL TOFF STEEL TERMINI	2.78 2.34 1.24
	ete 3 . Tops. Land Laranda Land Flor tipes and priso resistance resting	TUBAT; TOBERBERB; OBBWEAU	
-	Head intitude and consulf and plocation and prism or drawn ar grating and laser near examing near	TOFAT; TERMENT	ologija (1985.)
	mintuscope 	USEAT; US-PSEUH; DEPWENT	2018 (1014 10427)
-	30 S. Dilp. and prints and laser hear scanning near microscope	UPBAU; UBBENENU IEBMENU	10 19 J. 14 J.14
-	$e \times s$ . With , and point and isserbeat community rear might super and $e \times z$	TOFAL; TOFF HIME; LERWEDT	and the second second second
-	egans . Tim. and lawer near scanning near midr scape	TOFAT; TOFF HIME; LERWELLT	
-	gradus to the and law rolear scatters to their microscope and rea	UCHA.; US-EGENE; DEPWENT	
- 31	356/\$1 CCLS. and laser near scanning tear microscope) and codi and optimit ::	USTAT; US-ESEME; CEPWELT	2013   1. 14 11643
4	1556 0 .0013. and laser near scanning near microscope and not and point or epot same usample or specimen.	USEAN; USER HOR; DERWENT	1119 1 14 11447

•